Cracking
Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Curvature
Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Cylindrical shells
Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Deflection
Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Ductility
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Dynamic models
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Dynamic response
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Dynamics
New Approach to Mission Design Based on the Fundamental Equations of Motion — Try Lam; 19 (2), 59-67 (2006).

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Elastoplasticity
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Excitation
Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Fabrics
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Failures
Failure Mechanisms and Deployment Accuracy of Elastic-Memory Composites — Douglas Campbell and Arup Maji; 19 (3), 184-93 (2006).

Finite element method
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Finite elements
Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Fluid flow
Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Flutter
Flutter Phenomenon in Aeroelasticity and Its Mathematical Analysis — Marianna A. Shubov; 19 (1), 1-12 (2006).

Nonlinear Aeroelasticity: Continuum Theory, Flutter/Divergence Speed, and Plate Wing Model — A. V. Balakrishnan; 19 (3), 194-202 (2006).

Fractures
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Fuzzy sets
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Geomaterials
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Grain size
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Granular materials
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Heat transfer
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Honeycomb structures
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Inflatable structures
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Intelligent structures
Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Laminates
Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Functionally Graded Stitched Laminates: Illustration on the Example of a Double Cantilever Beam — Victor Birman and Larry W. Byrd; 19 (4), 217-26 (2006).

Lattices
Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Magnetic fields
Calibration of Strapdown Magnetometers in Magnetic Field Domain — Demoz Gebre-Egziabher, Gabriel H. Elkaim, J. David Powell, and Bradford W. Parkinson; 19 (2), 87-102 (2006).

Mass
Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Material properties
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Mathematical models
Flutter Phenomenon in Aeroelasticity and Its Mathematical Analysis — Marianna A. Shubov; 19 (1), 1-12 (2006).

Mechanical properties
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Mesh generation
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Models
Modeling Response of Flexible High-Aspect-Ratio Wings to Wind Turbulence — A. V. Balakrishnan; 19 (2), 121-32 (2006).

Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Moon
Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Motion
New Approach to Mission Design Based on the Fundamental Equations of Motion — Try Lam; 19 (2), 59-67 (2006).

Natural frequency
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomo-

geneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Nonlinear response
Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Optimization
Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Optimization models
Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Orbits
New Approach to Mission Design Based on the Fundamental Equations of Motion — Try Lam; 19 (2), 59-67 (2006).

Planets
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Plates
Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Porosity
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Predictions
Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Pressures
Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Probability
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Radar
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Reliability
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Roofs
Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Safety factors
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Sand
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Sandwich structures
Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Sensors
Failure Mechanisms and Deployment Accuracy of Elastic-Memory Composites — Douglas Campbell and Arup Maji; 19 (3), 184-93 (2006).

Shape
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Shape memory effect
Failure Mechanisms and Deployment Accuracy of Elastic-Memory Composites — Douglas Campbell and Arup Maji; 19 (3), 184-93 (2006).

Shear strength
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Shell structures
Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Shells
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Simulation
Computational Fluid Dynamics Simulation of Concentration Distributions from a Point Source in the Urban Street Canyons — Cheng-Hsin Chang; 19 (2), 80-6 (2006).

Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Soil properties
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Soil structure
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Space construction
Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Space exploration
New Approach to Mission Design Based on the Fundamental Equations of Motion — Try Lam; 19 (2), 59-67 (2006).

Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Stiffness
Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Streets
Computational Fluid Dynamics Simulation of Concentration Distributions from a Point Source in the Urban Street Canyons — Cheng-Hsin Chang; 19 (2), 80-6 (2006).

Stress analysis
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Stress intensity factor
Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Stress strain relations
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Structural design
Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Structural dynamics
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Structural models
Nonlinear Aeroelasticity: Continuum Theory, Flutter/Divergence Speed, and Plate Wing Model — A. V. Balakrishnan; 19 (3), 194-202 (2006).

Structural response
Modeling Response of Flexible High-Aspect-Ratio Wings to Wind Turbulence — A. V. Balakrishnan; 19 (2), 121-32 (2006).

Tensile strength
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Thermal analysis
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Thermal properties
Heat Flow through Soils and Effects on Thermal Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Three-dimensional flow
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Transient flow
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Trusses
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Turbulence
Modeling Response of Flexible High-Aspect-Ratio Wings to Wind Turbulence — A. V. Balakrishnan; 19 (2), 121-32 (2006).

Turbulent flow
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Uncertainty principles
Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Unsteady flow
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Urban areas
Computational Fluid Dynamics Simulation of Concentration Distributions from a Point Source in the Urban Street Canyons — Cheng-Hsin Chang; 19 (2), 80-6 (2006).

Vibration
Free Transverse and Lateral Vibration of Beams with Torsional Coupling — J. R. Banerjee and H. Su; 19 (1), 13-20 (2006).

Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Wind force
Modeling Response of Flexible High-Aspect-Ratio Wings to Wind Turbulence — A. V. Balakrishnan; 19 (2), 121-32 (2006).

Wind loads
Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Wind tunnel tests
Computational Fluid Dynamics Simulation of Concentration Distributions from a Point Source in the Urban Street Canyons — Cheng-Hsin Chang; 19 (2), 80-6 (2006).

Author Index

Aglietti, G. S.
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Areias, Pedro M. A.
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Baccouch, M.
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Balakrishnan, A. V.
Modeling Response of Flexible High-Aspect-Ratio Wings to Wind Turbulence — A. V. Balakrishnan; 19 (2), 121-32 (2006).
Nonlinear Aeroelasticity: Continuum Theory, Flutter/Divergence Speed, and Plate Wing Model — A. V. Balakrishnan; 19 (3), 194-202 (2006).

Banerjee, J. R.
Free Transverse and Lateral Vibration of Beams with Torsional Coupling — J. R. Banerjee and H. Su; 19 (1), 13-20 (2006).

Baysal, Oktay
Gathering Momentum into the New Millennium: 21st Century as the Foundation — Oktay Baysal; 19 (4), 203 (2006).

Belytschko, Ted
Analysis of Finite Strain Anisotropic Elastoplastic Fracture in Thin Plates and Shells — Pedro M. A. Areias and Ted Belytschko; 19 (4), 259-70 (2006).

Benaroya, H.
Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Birman, Victor
Functionally Graded Stitched Laminates: Illustration on the Example of a Double Cantilever Beam — Victor Birman and Larry W. Byrd; 19 (4), 217-26 (2006).

Byrd, Larry W.
Functionally Graded Stitched Laminates: Illustration on the Example of a Double Cantilever Beam — Victor Birman and Larry W. Byrd; 19 (4), 217-26 (2006).

Campbell, Douglas
Failure Mechanisms and Deployment Accuracy of Elastic-Memory Composites — Douglas Campbell and Arup Maji; 19 (3), 184-93 (2006).

Chang, Cheng-Hsin
Computational Fluid Dynamics Simulation of Concentration Distributions from a Point Source in the Urban Street Canyons — Cheng-Hsin Chang; 19 (2), 80-6 (2006).

Chang, S. Y.
Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Chao, Jianghui
Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Choi, S.
Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Choura, S.
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Cliff, Eugene M.
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Cunningham, P. R.
Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Deenadayalu, C.
Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Dogan, Vedat
Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

El-Borgi, S.
Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Elishakoff, Isaac
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Elkaim, Gabriel H.
Calibration of Strapdown Magnetometers in Magnetic Field Domain — Demoz Gebre-Egziabher, Gabriel H. Elkaim, J. David Powell, and Bradford W. Parkinson; 19 (2), 87-102 (2006).

Felippa, Carlos A.
Construction of Customized Mass-Stiffness Pairs Using Templates — Carlos A. Felippa; 19 (4), 241-58 (2006).

Ferracuti, Barbara
Four Alternative Definitions of the Fuzzy Safety Factor — Isaac Elishakoff and Barbara Ferracuti; 19 (4), 281-7 (2006).

Gebre-Egziabher, Demoz
Calibration of Strapdown Magnetometers in Magnetic Field Domain — Demoz Gebre-Egziabher, Gabriel H. Elkaim, J. David Powell, and Bradford W. Parkinson; 19 (2), 87-102 (2006).

Gil, A. J.
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Green, Jacklyn R.
Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Hajela, Prabhat
Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Han, S. C.
Nine-Node Resultant-Stress Shell Element for Free Vibration and Large Deflection of Composite Laminates — S. C. Han, S. Choi, and S. Y. Chang; 19 (2), 103-20 (2006).

Hassan, O.
Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Inman, Daniel J.
Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Jin, Zhanli
Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Lam, Try
New Approach to Mission Design Based on the Fundamental Equations of Motion — Try Lam; 19 (2), 59-67 (2006).

Liu, Rong
Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Maji, Arup
Failure Mechanisms and Deployment Accuracy of Elastic-Memory Composites — Douglas Campbell and Arup Maji; 19 (3), 184-93 (2006).

Marra, William A.
Heat Flow through Soils and Effects on Thermal

Storage Cycle in High-Mass Structures — William A. Marra; 19 (1), 55-8 (2006).

Mei, Renwei

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Mobasher, B.

Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Morgan, K.

Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).

Nayfeh, A. H.

Selection of Physical and Geometrical Properties for the Confinement of Vibrations in Nonhomogeneous Beams — M. Baccouch, S. Choura, S. El-Borgi, and A. H. Nayfeh; 19 (3), 158-68 (2006).

Nelson, John D.

Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Parkinson, Bradford W.

Calibration of Strapdown Magnetometers in Magnetic Field Domain — Demoz Gebre-Egziabher, Gabriel H. Elkaim, J. David Powell, and Bradford W. Parkinson; 19 (2), 87-102 (2006).

Perko, Howard A.

Mars Soil Mechanical Properties and Suitability of Mars Soil Simulants — Howard A. Perko, John D. Nelson, and Jacklyn R. Green; 19 (3), 169-76 (2006).

Popescu, Mihaela

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Powell, David J.

Calibration of Strapdown Magnetometers in Magnetic Field Domain — Demoz Gebre-Egziabher, Gabriel H. Elkaim, J. David Powell, and Bradford W. Parkinson; 19 (2), 87-102 (2006).

Rajan, S. D.

Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Ruess, F.

Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Salehian, Armaghan

Continuum Modeling of an Innovative Space-Based Radar Antenna Truss — Armaghan Salehian, Eugene M. Cliff, and Daniel J. Inman; 19 (4), 227-40 (2006).

Sarkar, Partha P.

Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Schaenzlin, J.

Structural Design of a Lunar Habitat — F. Ruess, J. Schaenzlin, and H. Benaroya; 19 (3), 133-57 (2006).

Schwingshackl, C. W.

Determination of Honeycomb Material Properties: Existing Theories and an Alternative Dynamic Approach — C. W. Schwingshackl, G. S. Aglietti, and P. R. Cunningham; 19 (3), 177-83 (2006).

Sharda, J.

Modeling of Multilayer Composite Fabrics for Gas Turbine Engine Containment Systems — J. Sharda, C. Deenadayalu, B. Mobasher, and S. D. Rajan; 19 (1), 38-45 (2006).

Shubov, Marianna A.

Flutter Phenomenon in Aeroelasticity and Its Mathematical Analysis — Marianna A. Shubov; 19 (1), 1-12 (2006).

Shyy, Wei

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Singh, Rajkeshar

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Soh, Chee Kiong

Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Su, H.

Free Transverse and Lateral Vibration of Beams with Torsional Coupling — J. R. Banerjee and H. Su; 19 (1), 13-20 (2006).

Tai, Cheng-Feng

Multiphase/Multidomain Computations Using Continuum and Lattice–Boltzmann Methods — Rajkeshar Singh, Jianghui Chao, Mihaela Popescu, Cheng-Feng Tai, Renwei Mei, and Wei Shyy; 19 (4), 288-95 (2006).

Vaicaitis, Rimas

Nonlinear Response of Double-Wall Cylindrical Shell Vibrations under Random Excitation — Vedat Dogan and Rimas Vaicaitis; 19 (1), 46-54 (2006).

Vittal, Sameer

Optimal Design in the Presence of Modeling Uncertainties — Prabhat Hajela and Sameer Vittal; 19 (4), 204-16 (2006).

Wang, C. H.

Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Wu, Fuqiang

Bivariate Quasi-Steady Model for Prediction of Roof Corner Pressures — Fuqiang Wu and Partha P. Sarkar; 19 (1), 29-37 (2006).

Wu, X. J.

Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Yang, Yaowen

Integrated Optimization of Control System for Smart Cylindrical Shells Using Modified GA — Yaowen Yang, Zhanli Jin, and Chee Kiong Soh; 19 (2), 68-79 (2006).

Zhang, Tie

Determination of Stress Intensity Factors for a Cracked Shell under Bending with Improved Shell Theories — Rong Liu, Tie Zhang, X. J. Wu, and C. H. Wang; 19 (1), 21-8 (2006).

Zhang, Z.

Parallel Multigrid Detached Eddy Simulation Algorithm for Three-Dimensional Unsteady Incompressible Flows on Unstructured Meshes — A. J. Gil, Z. Zhang, O. Hassan, and K. Morgan; 19 (4), 271-80 (2006).